



MPV17-related hepatocerebral mitochondrial DNA depletion syndrome

MPV17-related hepatocerebral mitochondrial DNA depletion syndrome is an inherited disorder that can cause liver disease and neurological problems. The signs and symptoms of this condition begin in infancy and typically include vomiting, diarrhea, and an inability to grow or gain weight at the expected rate (failure to thrive). Many affected infants have a buildup of a chemical called lactic acid in the body (lactic acidosis) and low blood sugar (hypoglycemia). Within the first weeks of life, infants develop liver disease that quickly progresses to liver failure. The liver is frequently enlarged (hepatomegaly) and liver cells often have a reduced ability to release a digestive fluid called bile (cholestasis). Rarely, affected children develop liver cancer. After the onset of liver disease, many affected infants develop neurological problems, which can include developmental delay, weak muscle tone (hypotonia), and reduced sensation in the limbs (peripheral neuropathy). Individuals with *MPV17*-related hepatocerebral mitochondrial DNA depletion syndrome typically survive only into infancy or early childhood.

MPV17-related hepatocerebral mitochondrial DNA depletion syndrome is most frequently seen in the Navajo population of the southwestern United States. In this population, the condition is known as Navajo neurohepatopathy. People with Navajo neurohepatopathy tend to have a longer life expectancy than those with *MPV17*-related hepatocerebral mitochondrial DNA depletion syndrome. In addition to the signs and symptoms described above, people with Navajo neurohepatopathy may have problems with sensing pain that can lead to painless bone fractures and self-mutilation of the fingers or toes. Individuals with Navajo neurohepatopathy may lack feeling in the clear front covering of the eye (corneal anesthesia), which can lead to open sores and scarring on the cornea, resulting in impaired vision. The cause of these additional features is unknown.

Frequency

MPV17-related hepatocerebral mitochondrial DNA depletion syndrome is thought to be a rare condition. Approximately 30 cases have been described in the scientific literature, including seven families with Navajo neurohepatopathy. Within the Navajo Nation of the southwestern United States, Navajo neurohepatopathy is estimated to occur in 1 in 1,600 newborns.

Genetic Changes

As the condition name suggests, mutations in the *MPV17* gene cause *MPV17*-related hepatocerebral mitochondrial DNA depletion syndrome. The protein produced from the *MPV17* gene is located in the inner membrane of cell structures called mitochondria. Mitochondria are involved in a wide variety of cellular activities, including energy production, chemical signaling, and regulation of cell growth, division, and death. Mitochondria contain their own DNA, known as mitochondrial DNA (mtDNA), which is essential for the normal function of these structures. It is likely that the *MPV17* protein is involved in the maintenance of mtDNA. Having an adequate amount of mtDNA is essential for normal energy production within cells.

MPV17 gene mutations that cause *MPV17*-related hepatocerebral mitochondrial DNA depletion syndrome lead to production of a protein with impaired function. One mutation causes all cases of Navajo neurohepatopathy and results in the production of an unstable *MPV17* protein that is quickly broken down. A dysfunctional or absent *MPV17* protein leads to problems with the maintenance of mtDNA, which can cause a reduction in the amount of mtDNA (known as mitochondrial DNA depletion). Mitochondrial DNA depletion impairs mitochondrial function in many of the body's cells and tissues, particularly the brain, liver, and other tissues that have high energy requirements. Reduced mitochondrial function in the liver and brain lead to the liver failure and neurological dysfunction associated with *MPV17*-related hepatocerebral mitochondrial DNA depletion syndrome. Researchers suggest that the less mtDNA that is available in cells, the more severe the features of Navajo neurohepatopathy.

Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- mitochondrial DNA depletion syndrome 6
- *MPV17*-associated hepatocerebral MDS
- MTDPS6
- Navajo familial neurogenic arthropathy
- Navajo neurohepatopathy
- Navajo neuropathy
- NNH

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Navajo neurohepatopathy
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1850406/>

Other Diagnosis and Management Resources

- GeneReview: MPV17-Related Hepatocerebral Mitochondrial DNA Depletion Syndrome
<https://www.ncbi.nlm.nih.gov/books/NBK92947>
- The United Mitochondrial Disease Foundation: Treatments and Therapies
<https://www.umdff.org/what-is-mitochondrial-disease/treatments-therapies/>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Health Topic: Liver Diseases
<https://medlineplus.gov/liverdiseases.html>
- Health Topic: Mitochondrial Diseases
<https://medlineplus.gov/mitochondrialdiseases.html>

Genetic and Rare Diseases Information Center

- MPV17-related hepatocerebral mitochondrial DNA depletion syndrome
<https://rarediseases.info.nih.gov/diseases/3972/mpv17-related-hepatocerebral-mitochondrial-dna-depletion-syndrome>

Additional NIH Resources

- NIH News in Health: When Cells Face an Energy Crisis--Malfunctioning Mitochondria Cause Many Disorders
<https://newsinhealth.nih.gov/2010/April/feature1.htm>

Educational Resources

- Boston Children's Hospital: Liver Failure
<http://www.childrenshospital.org/conditions-and-treatments/conditions//liver-failure>
- Cincinnati Children's Hospital: Mitochondrial Diseases
<https://www.cincinnatichildrens.org/health/m/mitochondrial>
- Cleveland Clinic: Liver Disease
<http://my.clevelandclinic.org/health/articles/liver-disease>
- Cleveland Clinic: Myths and Facts About Mitochondrial Disease
<http://my.clevelandclinic.org/health/articles/myths-and-facts-about-mitochondrial-diseases>
- Cleveland Clinic: Neuropathy
<http://my.clevelandclinic.org/health/articles/neuropathy>
- Disease InfoSearch: Navajo neurohepatopathy
<http://www.diseaseinfosearch.org/Navajo+neurohepatopathy/5115>
- Kennedy Krieger Institute: Mitochondrial Disorders
<https://www.kennedykrieger.org/patient-care/diagnoses-disorders/mitochondrial-disorders>
- MalaCards: mpv17-related hepatocerebral mitochondrial dna depletion syndrome
http://www.malacards.org/card/mpv17_related_hepatocerebral_mitochondrial_dna_depletion_syndrome
- Mayo Clinic: Mitochondrial Disease Biobank
<http://www.mayo.edu/research/centers-programs/mitochondrial-disease-biobank/overview>
- Orphanet: Navajo neurohepatopathy
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=255229

Patient Support and Advocacy Resources

- American Liver Foundation
<http://www.liverfoundation.org/>
- Australian Mitochondrial Disease Foundation
<http://www.amdf.org.au/>
- North American Mitochondrial Disease Consortium
<http://www.rarediseasesnetwork.org/cms/NAMDC>

- The United Mitochondrial Disease Foundation
<http://www.umdf.org/>
- University of Kansas Resource List: Mitochondrial Conditions
<http://www.kumc.edu/gec/support/mitochon.html>

GeneReviews

- MPV17-Related Hepatocerebral Mitochondrial DNA Depletion Syndrome
<https://www.ncbi.nlm.nih.gov/books/NBK92947>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28navajo+neurohepatopathy%5BTIAB%5D%29+OR+%28navajo+neuropathy%5BTIAB%5D%29+OR+%28MPV17%5BTI%5D%29+AND+%28mitochondrial+DNA%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

OMIM

- MITOCHONDRIAL DNA DEPLETION SYNDROME 6 (HEPATOCEREBRAL TYPE)
<http://omim.org/entry/256810>

Sources for This Summary

- El-Hattab AW, Li FY, Schmitt E, Zhang S, Craigen WJ, Wong LJ. MPV17-associated hepatocerebral mitochondrial DNA depletion syndrome: new patients and novel mutations. *Mol Genet Metab*. 2010 Mar;99(3):300-8. doi: 10.1016/j.ymgme.2009.10.003. Epub 2009 Oct 13.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20074988>
- Karadimas CL, Vu TH, Holve SA, Chronopoulou P, Quinzii C, Johnsen SD, Kurth J, Eggers E, Palenzuela L, Tanji K, Bonilla E, De Vivo DC, DiMauro S, Hirano M. Navajo neurohepatopathy is caused by a mutation in the MPV17 gene. *Am J Hum Genet*. 2006 Sep;79(3):544-8. Epub 2006 Jun 28.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16909392>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1559552/>
- Spinazzola A, Santer R, Akman OH, Tsiakas K, Schaefer H, Ding X, Karadimas CL, Shanske S, Ganesh J, Di Mauro S, Zeviani M. Hepatocerebral form of mitochondrial DNA depletion syndrome: novel MPV17 mutations. *Arch Neurol*. 2008 Aug;65(8):1108-13. doi: 10.1001/archneur.65.8.1108.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18695062>

- Spinazzola A, Viscomi C, Fernandez-Vizarra E, Carrara F, D'Adamo P, Calvo S, Marsano RM, Donnini C, Weiher H, Strisciuglio P, Parini R, Sarzi E, Chan A, DiMauro S, Rötig A, Gasparini P, Ferrero I, Mootha VK, Tiranti V, Zeviani M. MPV17 encodes an inner mitochondrial membrane protein and is mutated in infantile hepatic mitochondrial DNA depletion. *Nat Genet.* 2006 May;38(5):570-5. Epub 2006 Apr 2.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16582910>
 - Wong LJ, Brunetti-Pierri N, Zhang Q, Yazigi N, Bove KE, Dahms BB, Puchowicz MA, Gonzalez-Gomez I, Schmitt ES, Truong CK, Hoppel CL, Chou PC, Wang J, Baldwin EE, Adams D, Leslie N, Boles RG, Kerr DS, Craigen WJ. Mutations in the MPV17 gene are responsible for rapidly progressive liver failure in infancy. *Hepatology.* 2007 Oct;46(4):1218-27. Erratum in: *Hepatology.* 2008 Feb;47(2):768.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17694548>
-

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/mpv17-related-hepatocerebral-mitochondrial-dna-depletion-syndrome>

Reviewed: January 2013

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services